



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/195,728	11/18/1998	STEVEN M. DRUCKER	1026-006-112	4618
38991	7590	11/16/2004		
CHRISTENSEN, O'CONNOR, JOHNSON, KINDNESS, PLLC 1420 FIFTH AVENUE SUITE 2800 SEATTLE, WA 98101-2347			EXAMINER YANG, RYAN R	
			ART UNIT 2672	PAPER NUMBER

DATE MAILED: 11/16/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Advisory Action

Application No.

09/195,728

Applicant(s)

DRUCKER ET AL.

Examiner

Ryan R Yang

Art Unit

2672

--The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

THE REPLY FILED 30 August 2004 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. Therefore, further action by the applicant is required to avoid abandonment of this application. A proper reply to a final rejection under 37 CFR 1.113 may only be either: (1) a timely filed amendment which places the application in condition for allowance; (2) a timely filed Notice of Appeal (with appeal fee); or (3) a timely filed Request for Continued Examination (RCE) in compliance with 37 CFR 1.114.

PERIOD FOR REPLY [check either a) or b)]

- a) ☐ The period for reply expires _____ months from the mailing date of the final rejection.
- b) ☒ The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection. ONLY CHECK THIS BOX WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f).

Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

1. ☐ A Notice of Appeal was filed on _____. Appellant's Brief must be filed within the period set forth in 37 CFR 1.192(a), or any extension thereof (37 CFR 1.191(d)), to avoid dismissal of the appeal.
2. ☐ The proposed amendment(s) will not be entered because:
- (a) ☐ they raise new issues that would require further consideration and/or search (see NOTE below);
 - (b) ☐ they raise the issue of new matter (see Note below);
 - (c) ☐ they are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or
 - (d) ☐ they present additional claims without canceling a corresponding number of finally rejected claims.

NOTE: _____

3. ☐ Applicant's reply has overcome the following rejection(s): _____.
4. ☐ Newly proposed or amended claim(s) _____ would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s).
5. ☒ The a) ☐ affidavit, b) ☐ exhibit, or c) ☒ request for reconsideration has been considered but does NOT place the application in condition for allowance because: See Continuation Sheet.
6. ☐ The affidavit or exhibit will NOT be considered because it is not directed SOLELY to issues which were newly raised by the Examiner in the final rejection.
7. ☐ For purposes of Appeal, the proposed amendment(s) a) ☐ will not be entered or b) ☐ will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended.

The status of the claim(s) is (or will be) as follows:

Claim(s) allowed: _____

Claim(s) objected to: _____

Claim(s) rejected: _____

Claim(s) withdrawn from consideration: _____

8. ☐ The drawing correction filed on _____ is a) ☐ approved or b) ☐ disapproved by the Examiner.
9. ☐ Note the attached Information Disclosure Statement(s) (PTO-1449) Paper No(s). _____
10. ☐ Other: _____

Continuation of 5. does NOT place the application in condition for allowance because: Re claims 2, 8, 10-12, 15, 20-22, 24, 29 and 31, applicant traverses the finality of the rejections because of newly cited reference. In reply, examiner uses newly cited reference to supplement the "notorious well known" statement. Examiner has not changed position on these rejections. Re claims 1, 3-7, 9, 16-17, 19, 27-28, 30, 34-35, 43 and 45, applicant alleges lwase does not suggest texture mapping. In reply, examiner considers lwase teaches texture mapping by "image information on all the dots within each polygon is previously stored as texture information in means such as read-only memory (ROM), texture coordinates assigned to each vertex of the polygons are used as addresses, and this data is read out and mapped. Note that the applicants have already proposed details of image synthesis techniques for this sort of texture mapping", column 11, line 8-15, therefore, the tiles have texture. Re argument that lwase does not disclose "plural tile data structures representing plural respective views of the image texture displayed together on a display screen immediately adjacent each other", examiner considers different views of same tile is simultaneously displayed adjacent to each others as L1-L4 in Figure 9 ("all simply rotated and repositioned" column 12, line 1-2). Re claims 2, 24, 29 and 37, since oblique parallel projection is defined as "a projection" (line 25, page 13 of spec), examiner considers Van Overveld met the limitation. Re claim 13, examiner considers Strandberg has an outer surface.



MICHAEL RAZAVI
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600